

GB



Einhell Germany AG



TOOLS
2014/2015

Einhell
WELL DONE.



Our Philosophy

Products. Well done.

We have grouped our 50 years of experience in developing and manufacturing high-performance equipment into two basic product lines.

All the Red products represent our accumulated skills in product design and development. This is where exclusive, ergonomic design combines with practical functions, premium craftsmanship and good service for improved performance and better quality to meet the most demanding customer requirements.

The Blue line represents our entry-level products, which are characterized by their optimized utility at closely calculated prices. All our products provide performance that makes do-it-yourself projects fun as well as combine high functionality with safety and ease of use. Performance and quality are well balanced and offered at prices that put a smile on everyone's face.

Einhell. Well done.



International

Einhell. Well done.

The Einhell group employs over 1400 people in more than 50 countries around the world. With an annual sales volume that exceeds 10 million electric tools and machines, we are one of the most capable trade partners on a domestic as well as international level.

Our strength in the market allows us to achieve outstanding value with each of our products, which are tested by experts on site to ensure quality and safety. In addition, our development work in Germany is subjected to a thorough testing and inspection program. We demonstrate our high performance standards continuously in the form of practiceproven, sophisticated brand products.

Einhell. Well done.



Jan Teichert
Chief Financial Officer

Dr. Markus Thannhuber
Chief Technical Officer

Andreas Kroiss
Chairman of the
Board of Directors

Tools

Handheld electric tools

Screwing	5
Drilling / Hammer drilling	7
Mixing	8
Cutting	9
Milling / Planing / Grinding	10
Sawing	12
Other tools	13

Stationary Tools

Woodworking technology	14
Compressed air technology	16
Welding technology	23
Metalworking technology	27
Lifting equipment	30
Firewood Cutting	33
Power generation	34

Service


36





CORDLESS SCREWDRIVER

BT-SD 4,8 F





GB Pivot joint | Lamp | Clockwise / counter-clockwise switch | Charging supply unit | 28 screwdriver bits | 8 socket wrench sockets | Holder for wrench sockets | Magnetic bit holder

0.4 / 1.2 kg
310 x 160 x 70 mm

Article number 45.107.02
4 006825 545876

CORDLESS DRILL

BT-CD 14,4 2B



GB Clockwise / counter-clockwise switch | Quick stop | Keyless chuck | Speed control electronics | Additional battery pack

1.4 / 3.2 kg
355 x 265 x 95 mm

Article number 45.133.00
4 006825 538250



Einhell Germany AG

BIT SET




GB Bit set: 23 pieces

Article number 42.580.73
4 006825 573268

CORDLESS DRILL

BT-CD 18





GB Clockwise / counter-clockwise switch | Keyless chuck | Speed control electronics | Quick stop

1.5 / 2.7 kg
280 x 285 x 96 mm

Article number 45.133.30
4 006825 541229

CORDLESS DRILL

BT-CD 18 2B




GB Clockwise / counter-clockwise switch | Keyless chuck | Speed control electronics | Quick stop | Additional battery pack

1.5 / 3.1 kg
280 x 240 x 87 mm

Article number 45.133.40
4 006825 541236

CORDLESS DRILL

BT-CD 18 1h



GB Clockwise / counter-clockwise switch | Keyless chuck | Speed control electronics | Quick stop | 2-speed gearing | 1h charger | Additional battery pack

1.6 / 4.3 kg
355 x 265 x 95 mm

Article number 45.133.10
4 006825 538267

CORDLESS IMPACT DRILL

BT-CD 24i



GB Clockwise / counter-clockwise switch | Keyless chuck 13 mm | Speed control electronics | 2-speed gearing | Battery capacity indicator | LED lamp | Impact drill function | Additional battery pack | 1 hour charger | Additional handle | 2 bits (50 mm)

2.4 / 6.0 kg
370 x 310 x 105 mm

Article number 45.132.23
4 006825 545913




Lithium-Ion Batteries from Einhell

- Small and easy to handle
- Powerful even after prolonged storage, no self-discharge
- No memory effect
- With active cell monitoring for maximum safety and battery life



CORDLESS SCREWDRIVER BT-SD 3,6/1 Li




GB Clockwise / counter-clockwise switch | Swivel handle | 9 torque settings | Bit mount with lock | LED lamp | Battery capacity indicator | Charging supply unit | Soft grip | 4 bits | Holster bag | Blisterpackaging

0.4 / 0.8 kg
210 x 260 x 65 mm

Article number 45.133.85



CORDLESS DRILL BT-CD 10,8/1 Li Kit




GB Clockwise / counter-clockwise switch | Quick stop | Spindle-lock | Single sleeve quick-change drill chuck | Speed control electronics | LED lamp | Battery capacity indicator | Softgrip | Magnetic screw holder | Incl. 23 pcs. bit set

1.2 / 2.2 kg
275 x 275 x 90 mm

Article number 45.133.49



CORDLESS DRILL BT-CD 14,4 Li




GB Clockwise / counter-clockwise switch | Quick stop | Spindle-lock | Single sleeve quick-change drill chuck | Speed control electronics | LED lamp | Battery capacity indicator | Soft grip | Magnetic screw holder

1.3 / 1.6 kg
235 x 230 x 66 mm

Article number 45.133.05



CORDLESS DRILL BT-CD 10,8/3 Li




GB 2-speed gearing | Clockwise / counter-clockwise switch | Quick stop | Spindle-lock | Single sleeve quick-change drill chuck (Jacobs) | Speed control electronics | Additional battery pack | Battery capacity display | Soft grip

1.2 / 2.0 kg
245 x 245 x 67 mm

Article number 45.133.77



DRYWALL SCREW GUN BT-DY 720 E




GB Electronic speed control with speed selector | Clockwise / counter-clockwise switch | Metal gear housing | Tool chuck for 1/4" (6.35 mm) Internal hexagon | Adjustable depth stop | Auto-start-stop-drive

2.0 / 2.2 kg
330 x 220 x 75 mm

Article number 42.539.00



TOOL KIT BT-TK 10,8 Li



GB Cordless multitool with plunge cut saw blade for wood | Grinding / sanding attachment and scraper | Supplied with 2 rechargeable batteries

1.7 / 2.8 kg
340 x 290 x 85 mm

Article number 44.192.07



IMPACT DRILL

BT-ID 550 E



GB Soft grip | Clockwise / counter-clockwise switch | Keyless chuck | Metal depth stop | Additional handle | Speed control electronics with speed preselection

1.8 / 2.1 kg
290 x 235 x 73 mm

Article number 42.597.80



IMPACT DRILL

BT-ID 710 E



GB Soft grip | Clockwise / counter-clockwise switch | Keyless chuck | Metal depth stop | Additional handle | Speed control electronics with speed preselection

2.1 / 2.3 kg
307 x 241 x 77 mm

Article number 42.597.90



Einhell Germany AG

BIT SET



GB Bit set: 23 pieces

Article number 42.580.73



DRILL AND BIT SET



GB 70 pieces: 25 drills: wood, metal, stone | 36 bits | 7 socket bits | Measuring tape | 1 bit adapter


1

Article number 42.580.85



IMPACT DRILL

BT-ID 720 KIT



GB Quick chuck with lock-function | Drilling / hammer drilling | Right / left turn | Speed control electronics with speed preselection | Additional handle | Metal depth gauge | Incl. 65 pieces bit and drill bit set | Soft grip

2.2 / 3.8 kg
310 x 260 x 138 mm

Article number 42.597.65



IMPACT DRILL

BT-ID 1000 E



GB Soft grip | Clockwise / counter-clockwise switch | Key chuck | Metal depth stop | Additional handle | Speed control electronics with speed preselection


2.3 / 2.5 kg
305 x 235 x 77 mm

Article number 42.598.00



ROTARY HAMMER

BT-RH 900/1



GB SDS-Plus adapter | Additional handle | Hammer stop facility | Rotation stop facility with chisel fixation | Metal depth gauge | Sturdy aluminium gear head | Overload safety clutch


4.3 / 6.0 kg
402 x 305 x 127 mm

Article number 42.582.35



ROTARY HAMMER


BT-RH 1600



GB SDS-Plus adapter | Vibration absorbing handle | Rotation stop facility with shiftable chisel fixation | Hammer stop facility | Metal depth gauge | Additional handle with locking device | Overload safety clutch

5.6 / 7.8 kg
440 x 365 x 130 mm
Article number 42.584.75
4 006825 577044


SDS-PLUS DRILL BIT AND CHISEL SET



GB For all rotary hammers | 12 pieces, in aluminium case: 10 drill bits (Ø 5 - Ø 16 mm), 2 chisels

1
Article number 42.580.90
4 006825 538885

SDS-PLUS DRILL SET




D For all rotary hammers
10 pcs. drills (Ø 5 - Ø 16 mm, length 110 - 400 mm)

1
Article number 42.580.94
4 006825 582307

DEMOLITION HAMMER

BT-DH 1600/1



GB Hexagon chuck, 30 mm | Additional handle | Incl. pointed chisel, flat chisel | For heavy demolition works

14.7 / 21.7 kg
690 x 350 x 170 mm
Article number 41.390.67
4 006825 567731

FLAT CHISEL HEXAGON FOR BT-DH 1600/1



GB Hexagon 30 mm | Width 34 mm | Length 410 mm
1
Article number 41.390.72
4 006825 565720

POINTED CHISEL HEXAGON FOR BT-DH 1600/1




GB Hexagon 30 mm | Length 410 mm
1
Article number 41.390.73
4 006825 565737

MIXING

PAINT AND MORTAR MIXER

BT-MX 1100 E




GB Soft grip | Speed control electronics with speed selection | Clockwise/counter-clockwise switch | Key chuck | Incl. spiral mixing tool | Additional handles | Can also be used as power drill

3.3 / 3.7 kg
315 x 255 x 100 mm
Article number 42.584.67
4 006825 543193

PAINT AND MORTAR MIXER


BT-MX 1400 E



GB Speed control electronics | Ergonomically-shaped handle | Soft grip inserts | 2-speed gearbox | Metal gear housing | Incl. spiral mixing tool | Soft start

4.7 / 6.2 kg
325 x 325 x 245 mm
Article number 42.584.55
4 006825 556520

MIXER SET HEXAGON



GB Hexagon connection, length 550 mm | 3 pieces (paint Ø 60 mm, bitumen Ø 80 mm, mortar Ø 100 mm)

1
Article number 42.583.60
4 006825 425147

MIXER SET M 14



GB M 14 connection | Length 585 mm | 2 pieces (mortar Ø 135 mm, bitumen Ø 120 mm)

1
Article number 42.583.65
4 006825 572223

ANGLE GRINDER

BT-AG 500



230 V ~ 50 Hz 500 W $n_g = 11000 \text{ min}^{-1}$ Ø 115 mm



M 14 Spindle lock

GB Spindle lock | Metal gear head | Disc guard | Additional handle | Flange nut wrench | Cutting disc not included

1.6 / 1.8 kg 10
295 x 125 x 110 mm

Article number 44.305.80



ANGLE GRINDER

BT-AG 850



230 V ~ 50 Hz 850 W $n_g = 11000 \text{ min}^{-1}$ Ø 125 mm



M 14 Spindle lock

GB Spindle lock | Metal gear head | Disc guard | Additional handle | Flange nut wrench | Cutting disc not included

2.2 / 2.5 kg 10
295 x 140 x 115 mm

Article number 44.305.90



Einhell Germany AG

DIAMOND DISC SET FOR
ANGLE GRINDER Ø 230 mm

GB 230 mm | 2 pieces


1

Article number 44.403.33



ANGLE GRINDER

BT-AG 1000



230 V ~ 50 Hz 1010 W $n_g = 11000 \text{ min}^{-1}$ Ø 125 mm



M 14 Spindle lock

GB Toolless disc guard adjustment | Spindle lock | Metal gear head | Flange nut wrench | Additional handle | Cutting disc not included

2.4 / 2.7 kg 6
410 x 120 x 90 mm

Article number 44.306.10



ANGLE GRINDER

BT-AG 2000



230 V ~ 50 Hz 2000 W $n_g = 6000 \text{ min}^{-1}$ Ø 230 mm



M 14 Spindle lock

GB Soft start | Spindle lock | Metal gear head | Disc guard adjustment | Additional handle | Flange nut wrench | Cutting disc not included

4.8 / 5.5 kg 2
540 x 168 x 125 mm

Article number 44.306.20



ANGLE GRINDER

BT-AG 2350



230 V ~ 50 Hz 2350 W $n_g = 6000 \text{ min}^{-1}$ Ø 230 mm



M 14 Spindle lock

GB Soft start | Spindle lock | Metal gear head | Toolless disc guard adjustment | Swivel handle | Additional handle | Flange nut wrench | Cutting disc not included

5.6 / 6.2 kg 2
560 x 180 x 125 mm

Article number 44.306.30

CUTTING STAND TS 125/115 FOR
BT-AG 500 / 800 / 1000

GB For angle grinder with disc diameter 115 and 125 mm

1

Article number 44.310.40

CUTTING STAND TS 230 FOR
BT-AG 2000 / 2350

GB For angle grinder with disc diameter 230 mm

1

Article number 44.310.50



MASONRY CHANNEL CUTTER

BT-MA 1300



Incl. case

230 V ~ 50 Hz 1320 W $n_s = 9000 \text{ min}^{-1}$ Ø 125 mm

8 - 30 mm 8 - 26 mm

GB Infinitely variable cutting depth | Groove widths via spacer rings | Integrated dust extraction | Soft start | Overload cut-out | Spindle lock | Additional handle

4.9 / 5.5 kg 3
405 x 295 x 240 mm

Article number 43.507.20



ROUTER

BT-RO 1100 E Kit

230 - 240 V ~ 50 Hz 1100 W $n_s = 11000 - 30000 \text{ min}^{-1}$ max. 55 mmØ 8 mm
Ø 6 mm

GB Continuously adjustable cutter depth with vernier adjustment | Dust extractor adapter | Speed control electronics | Spindle lock | Multilevel revolver stop | Clamp 6 and 8 mm | Parallel guide, compass point, copy sleeve | Cutter set (12 pcs.) in wooden case

3.7 / 4.6 kg 4
290 x 260 x 160 mm

Article number 43.504.71



CUTTER SET FOR ROUTERS



GB 12 pieces | Including 6 cutters with guide ring | Shaft diameter 8 mm

1

Article number 43.501.99



BISCUIT JOINER

BT-BJ 900



Incl. case

230 V ~ 50 Hz 860 W $n_s = 11000 \text{ min}^{-1}$ Ø 100 x Ø 22 x 3.8 mm

max. 18 mm 0° - 90° HM / TCT, t=6 5 - 35 mm

GB Infinitely height and angle adjustment | 3-step quick adjustment of cutting depth | Locking knob for changing cutters | Dust bag | Face spanner for changing cutters

3.3 / 4.6 kg 2
430 x 170 x 230 mm

Article number 43.506.11



ELECTRIC PLANER

BT-PL 750

230 V ~ 50 Hz 750 W $n_s = 16500 \text{ min}^{-1}$ 0 - 2 mm

0 - 6 mm 82 mm

GB Chip ejection direction switch | Carbide planing blade | Large blade shaft for perfect results | Aluminium planing plate at front | Rebate depth stop | Parallel guide | Dust bag

2.8 / 3.2 kg 6
300 x 160 x 180 mm

Article number 43.452.61



ELECTRIC PLANER

BT-PL 900

230 V ~ 50 Hz 900 W $n_s = 16500 \text{ min}^{-1}$ 0 - 3 mm

0 - 15 mm 82 mm

GB Chip ejection direction switch | Carbide planing blade | Large blade shaft for perfect results | Aluminium planing plate at front | Rebate depth stop | Parallel guide | Dust bag

3.0 / 3.5 kg 6
320 x 180 x 170 mm

Article number 43.452.80



MULTIFUNCTION TOOL

BT-MG 220 E



GB Saw blade (32 mm wide) | Spade | Sanding plate with Velcro fastening | Sanding paper | Dust extraction adapter | Hex key | Soft grip | Speed control electronics | Aluminium gear head

1.8 / 2.0 kg 6
335 x 93 x 110 mm

Article number 44.650.50
4 006825 579970

GRINDING AND ENGRAVING TOOL SET

BT-MG 135/1




GB Speed control electronics | Spindle lock | Flexible shaft | Telescopic stand rod | Transport and storage case | 189 pcs. accessory set

0.7 / 2.2 kg 6
345 x 225 x 125 mm

Article number 44.191.65
4 006825 579987

DELTA SANDER

BT-DS 180



GB Velcro fastening for quick abrasive paper change | Connection for dust extractor | Abrasive paper | Dust extractor adapter

1.1 / 1.4 kg 10
315 x 100 x 105 mm

Article number 44.642.30
4 006825 554939

Einhell Germany AG

STARTER KIT FOR BT-MG 180/1 / BT-MG 220 E



GB For wood and plastic, in parts for alu

1
Article number 44.650.10
4 006825 553178

ORBITAL SANDER

BT-OS 150



GB Abrasive disc with clamp | Additional handle | Abrasive paper | Dust extractor adapter

1.3 / 1.5 kg 4
270 x 160 x 100 mm

Article number 44.605.44
4 006825 543346

ORBITAL SANDER

BT-OS 280 E




GB Abrasive disc with clamp and velcro fastening | Additional handle | Speed control | Abrasive paper | Dust bag | Aluminium grinding plate

2.0 / 2.3 kg 4
345 x 175 x 125 mm

Article number 44.605.32
4 006825 543353

ECCENTRIC SANDER

BT-RS 420 E




GB Velcro fastening for quick abrasive paper change | Speed control | Abrasive paper | Dust bag

2.0 / 2.2 kg 10
305 x 188 x 123 mm

Article number 44.621.60
4 006825 538489

BELT SANDER

BT-BS 850/1 E



GB Additional ceramic guard in case of wrongly set belt position | Simple, fast belt change | Additional handle for perfect work with the belt sander | dust bag | Speed control | Sanding belt

3.4 / 3.7 kg 6
370 x 173 x 155 mm

Article number 44.662.16
4 006825 564273

JIGSAW

BT-JS 400 E



GB Speed control electronics with speed selection | Soleplate can be angled up to 45° | Dust extraction via adapter | Allen key | Saw blade

1.8 / 2.3 kg
240 x 78 x 208 mm

Article number 43.211.00
4 006825 538533

PENDULUM JIGSAW

BT-JS 650 E




GB Speed control electronics with speed preselection | Soleplate can be angled up to 45° | Dust extraction via adapter | Adjustable pendulum stroke (4 settings) | Parallel guide | Allen key | Saw blade

2.1 / 2.4 kg
250 x 233 x 78 mm

Article number 43.211.10
4 006825 538540

PENDULUM JIGSAW

BT-JS 800 E




GB Speed control electronics with speed selection | Aluminium soleplate, can be angled up to 45° | Dust extraction via adapter | Adjustable pendulum stroke (4 settings) | LED lamp | Toolless blade change | Parallel guide | Saw blade | Softgrip

2.3 / 2.6 kg
258 x 225 x 85 mm

Article number 43.211.20
4 006825 538557

MINI HAND-HELD CIRCULAR SAW

BT-CS 860 KIT




GB Infinitely adjustable cutting depth | Integrated dust extractor | Electronic overload protection | Incl. laser | Tool to change the saw blade | Parallel guide | Incl. 6 sawblades, transport and storage case and carrying bag

2.0 / 4.0 kg
3
385 x 280 x 170 mm

Article number 43.309.80
4 006825 578997

HAND-HELD CIRCULAR SAW

BT-CS 1200/1




GB Toolless cutting depth adjustment | Toolless saw table adjustment | TCT saw blade | Splitting wedge | Parallel guide | Tool to change the saw blade

3.7 / 4.5 kg
348 x 257 x 248 mm

Article number 43.309.32
4 006825 577112

HAND-HELD CIRCULAR SAW

BT-CS 1400/1



GB Toolless cutting depth adjustment | Toolless saw table adjustment | TCT saw blade | Splitting wedge | Parallel guide | Soft start | Tool to change the saw blade

4.3 / 5.2 kg
355 x 270 x 255 mm

Article number 43.309.46
4 006825 577105

SAW BLADE SET FOR
BT-CS 860 L / BT-CS 860 KIT

every 2 x

GB 6 pieces (2 x 20 teeth TCT, 2 x 80 teeth HSS, 2 x diamond cutting wheel for tiles) | Ø 85 x Ø 10 mm

1
Article number 45.021.28
4 006825 575347


CARBIDE-TIPPED SAW BLADE FOR
BT-CS 1400/1

GB Ø 190 x Ø 30 x 2.5 mm | 24 teeth

1
Article number 45.021.43
4 006825 548129

HOT GLUE GUN

BT-GG 200 P



230 V ~ 50 Hz

12 W
(max. 72 W)

Ø 11 mm

ca. 5 min



ca. 150° C

GB Support bar | 3 hot glue cartridges Ø 11 x 100 mm

0.2 / 0.3 kg

10

170 x 159 x 32 mm


Article number 45.221.60

GLUE CARTRIDGES FOR
ALL HOT GLUE GUNS

GB Ø 11 x 200 mm | 24 pieces

1

Article number 45.221.99

STAPLE / NAIL SET FOR
BT-EN 20D Staples: 1000 pcs. 14 x 10 mm, 500 pcs. 12 x 10 mm,
500 pcs. 10 x 10 mm | Nails: 500 pcs. 16 mm, 500 pcs. 14 mm

1

Article number 41.378.83

STAPLE / NAIL SET FOR
BT-EN 30 EGB Staples: 300 pcs. of each size: 25 x 6, 20 x
6, 15 x 6 mm | Nails: 600 pcs. of each length: 32 mm,
20 mm, 500 pcs. 25 mm, 400 pcs. 15 mm

Article number 41.378.80



HOT AIR GUN

BT-HA 2000/1



230 V ~ 50 Hz

I = 1000 W
II = 2000 WI = 350 °C
II = 550 °CI = 300 l/min
II = 500 l/minGB Safe and solid standing for stationary use | 2 heat
settings | Offset nozzles for flexibility | Heat nozzle | Wide
nozzle | Reducer nozzle | Reflector nozzle | Paint scraper

0.7 / 1.6 kg

10

296 x 85 x 272 mm

Article number 45.201.67



SOLDERING GUN

BT-SG 100



230 V ~ 50 Hz

100 W

max. 500° C

ca. 12 sec.

GB Integrated soldering position light | Easy to replace
soldering tip | 2 soldering tips | Cutting tip | Solder wire |
Solder grease

0.6 / 1.0 kg

10

265 x 220 x 60 mm

Article number 46.100.30



ELECTRIC STAPLER

BT-EN 20



230 V ~ 50 Hz

20 / min

a: 11.2 - 11.4 mm
b: 8 - 16 mma: 8 - 16 mm
b: 2 mm

1.16 - 1.26 mm

GB Stapling force control | Magazine filling level indi-
cator | Safety lug | ON/OFF switch | 100 staples 11.4 x 12
mm | 100 nails 15 mm

1.1 / 1.3 kg

10

235 x 170 x 60 mm

Article number 42.578.60



ELECTRIC STAPLER

BT-EN 30 E



230 V ~ 50 Hz

30 / min

a: 6 mm
b: 15 - 25 mma: 15 - 32 mm
b: 2 mm

1.1 - 1.25 mm



Electronic

GB Electronic stapling force control | Magazine filling
level indicator | Safety lug | ON/OFF switch | 300 staples
25 x 6 mm | 200 staples 15 x 6 mm | 300 nails 32 mm |
200 nails 25 mm

1.7 / 2.0 kg

10

240 x 210 x 65 mm

Article number 42.578.43





BELT AND DISK SANDER

BT-US 400



230 V ~ 50 Hz 375 W S2 30 min $n_g = 1450 \text{ min}^{-1}$ Ø 150



100 x 915 mm

GB Belt grinding device | Support table (can be angled from 0° to 45°) | Cross stop (-60° to +60°) | Disc grinder with quick-fit fastening system | 4 rubber feet to ensure that the machine stands securely

15.6 / 18.0 kg **1**
500 x 300 x 260 mm

Article number 44.192.53



4 006825 541557

WOODWORKING LATHE

BT-WW 1000



230 V ~ 50 Hz 350 W S2 30 min $n_g = 810/1180/1700/2480 \text{ min}^{-1}$ $l_{\text{max}} = 1000 \text{ mm}$ $\text{Ø}_{\text{max}} = 356 \text{ mm}$

GB Strong guide frame | Tailstock with self-centering live spindle tip | Workpiece support | Front end driver ring | Face plate Ø 143 mm | Long-lasting V-belt drive which can be adjusted to 4 settings

27.5 / 38.0 kg **1**
1500 x 230 x 260 mm

Article number 43.121.02



4 006825 540611

GRINDING BELT SET FOR BT-US 400



GB 3 pieces | Width / Length 100 x 914 mm | Grit size 60 / 80 / 120 K




Article number 44.198.30



4 006825 443783

GRINDING/SANDING PAPER SET FOR BT-US 400



GB 3 pieces | Velcro fastening | Ø 150 mm | Grit size 80 / 120 / 180 K



Article number 44.198.45



4 006825 529036

LATHE BLADE SET FOR BT-WW 1000



GB 5 pieces | Flat and round-nose chisel | Gouge chisel | Round and pointed chisel



Article number 43.112.00



4 006825 431551



Weight net / gross



Packing dimensions



Packaging unit



COMPRESSOR KIT

BT-AC 180 KIT



220 - 240 V ~ 50 Hz	1.1 kW (1.5 HP) S3 15%	$n_s = 3550 \text{ min}^{-1}$	8 bar max. 180 l/min
3 m	Oilfree		

GB Transport handle | Accessory compartment | Compressed air hose with quick-lock coupling | Blow-out pistol with pressure gauge | Hose for use as tire pressure gauge | Nozzle for use as blow-out pistol | Adapter set

	5.8 / 6.5 kg		5
	470 x 120 x 335 mm		

Article number 40.205.20



COMPRESSOR

BT-AC 200/24 OF



230 V ~ 50 Hz	1.1 kW (1.5 HP) S3 25%	$n_s = 2850 \text{ min}^{-1}$	8 bar max. 140 l/min
24 l	Oilfree		

GB Pressure gauge & quick-lock coupling | Foot with suction cup function | Intake filter, non-return valve, safety valve | Pressure regulator | Drain cock | 10 year warranty against rusting through of the tank

	19.5 / 21.0 kg		1
	570 x 445 x 255 mm		

Article number 40.205.05



COMPRESSOR

BT-AC 200/50 OF



230 V ~ 50 Hz	1.1 kW (1.5 HP) S3 25%	$n_s = 2850 \text{ min}^{-1}$	8 bar max. 140 l/min
50 l	Oilfree		

GB Pressure gauge & quick-lock coupling | Foot with suction cup function | Intake filter, non-return valve, safety valve | Pressure regulator | Drain cock | 10 year warranty against rusting through of the tank

	23.3 / 26.0 kg		1
	770 x 320 x 725 mm		

Article number 40.204.80



COMPRESSOR

BT-AC 240/50/10 OF



230 V ~ 50 Hz	1.5 kW S3 25%	$n_s = 4000 \text{ min}^{-1}$	10 bar max. 240 l/min
50 l	Oilfree		

GB Pressure gauge & quick-lock coupling | Intake filter, non-return valve, safety valve | Pressure regulator | ON/OFF switch | Drain cock | 10 year warranty against rusting through of the tank

	22.2 / 23.5 kg		1
	865 x 340 x 340 mm		

Article number 40.103.90



COMPRESSOR

BT-AC 230/24

DE: price/performance "Very Good"



DE: "Price tip"



230 V ~ 50 Hz	1.5 kW (2 HP) S2 15 min	$n_s = 2850 \text{ min}^{-1}$	8 bar max. 206 l/min
24 l	Oil lubricated		

GB Pressure gauge & quick-lock coupling | Foot with suction cup function | Intake filter, non-return valve, safety valve | Pressure regulator | Drain cock | 10 year warranty against rusting through of the tank

	24.8 / 26.6 kg		1
	595 x 270 x 605 mm		

Article number 40.103.50



COMPRESSOR

BT-AC 270/50



230 V ~ 50 Hz	1.8 kW (2.5 HP) S2 30 min	$n_s = 2850 \text{ min}^{-1}$	8 bar max. 262 l/min
50 l	Oil lubricated		

GB Pressure gauge & quick-lock coupling | Foot with suction cup function | Intake filter, non-return valve, safety valve | Pressure regulator | Drain cock | 10 year warranty against rusting through of the tank

	32.0 / 35.0 kg		1
	775 x 325 x 730 mm		

Article number 40.103.70



COMPRESSOR

BT-AC 400/50



230 V ~ 50 Hz	2.6 kW (3.5 HP) S2 30 min	$n_s = 2850 \text{ min}^{-1}$	8 bar max. 400 l/min
50 l	Oil lubricated		

GB Pressure gauge & quick-lock coupling | Intake filter, non-return valve, safety valve | ON/OFF switch | Pressure regulator | Drain cock | 10 year warranty against rusting through of the tank

	40.0 / 42.5 kg		1
	800 x 360 x 730 mm		

Article number 40.101.70



COMPRESSOR

BT-AC 320/50/10



230 V ~ 50 Hz	2.2 kW (3 HP) S2 30 min	$n_s = 2850 \text{ min}^{-1}$	10 bar max. 320 l/min
50 l	Oil lubricated		

GB Belt drive | Oil level check by scale | Pressure reducer | Drain cock | Pressure gauge and quick-lock coupling for unregulated / regulated working pressure | 2 cylinders | 10 year warranty against rusting through of the tank

	60.0 / 63.0 kg		1
	840 x 410 x 750 mm		

Article number 40.103.80



SHORT BLOW-OUT PISTOL



GB For all compressors



Article number 41.331.00



LONG BLOW-OUT PISTOL



GB For all compressors



Article number 41.331.02



TIRE PRESSURE GAUGE



GB Working pressure 0 - 8 bar | Incl. discharge nozzle



Article number 41.370.00



Einhell Germany AG

TIRE PRESSURE GAUGE PROFI



GB Working pressure 0 - 8 bar | Incl. discharge nozzle and big gauge | Incl. tire inflating adapter



Article number 41.331.10



PAINT SPRAY GUN WITH GRAVITY-FEED CAN



GB Point / wide cone regulator | Filling max. 0.6 l | Working pressure 3 - 4 bar



Article number 41.330.00



PAINT SPRAY GUN PROFI WITH GRAVITY-FEED CAN



GB Point / wide cone regulator | Filling max. 0.6 l | Working pressure 3 - 3.5 bar | Incl. air volume control



Article number 41.330.30



PAINT SPRAY GUN WITH SUCTION-FEED CAN



GB Rotating nozzle with point/wide cone regulator | Filling max. 1 l | Working pressure 3 - 4 bar



Article number 41.329.00



SPRAY GUN WITH SUCTION-FEED CAN



GB Filling max. 0.9 l | Working pressure 3 - 6 bar



Article number 41.332.00



COMPRESSED AIR TOOL SET



GB 3 pieces | Spiral hose 4 m



Article number 41.327.41



PROFESSIONAL COMPRESSED AIR TOOL SET



GB 5 pieces | Spiral hose 4 m



Article number 41.327.20



JET GUN WITH SUCTION-FEED CAN



GB Filling max. 1 l | Working pressure 3 - 8 bar



Article number 41.333.00



SUCTION-FEED SPRAY PISTOL



GB Working pressure 6 bar max. | Nozzles 3 x Ø 5 mm



Article number 41.334.00



UNDERSEAL GUN



GB Working pressure 3 - 8 bar



Article number 41.335.01



AIR IMPACT SCREWDRIVER SET DSS 260/2



GB Working pressure max. 6.3 bar | Air consump. approx. 115 l/min | Torque max. 312 Nm



Article number 41.389.10



AIR RATCHET SCREWDRIVER SET DRS 200/2



GB Working pressure max. 6.3 bar | Air consump. approx. 122 l/min | Torque max. 68 Nm



Article number 41.391.70



AIR CHIPPING HAMMER SET DMH 250/2



GB Working pressure max. 6.3 bar | Air consump. approx. 115 l/min | Blow rate 4500/min

1
Article number 41.390.08
4 006825 504392

AIR ROD GRINDER SET DSL 250/2



GB Working pressure max. 6.3 bar | Air consump. approx. 128 l/min | Idling speed 22000 min⁻¹

1
Article number 41.385.20
4 006825 504378

COMPRESSED AIR ECCENTRIC SANDER DSE 125



GB Grinding disk Ø 125 mm | Working pressure max. 6.3 bar | Air consump. approx. 106 l/min

1
Article number 41.333.25
4 006825 581607

AIR TACKER SET DTA 25/2



GB Working pressure max. 8.3 bar | Air consump. approx. 0.11 l/shot | Clamping width 5.7 mm

1
Article number 41.377.55
4 006825 504415

COMPRESSED AIR CLAMPS



GB Dimensions 5 x 13 mm | 3000 pieces

1
Article number 41.378.50
4 006825 504422

COMPRESSED AIR CLAMPS



GB Dimensions 5 x 16 mm | 3000 pieces

1
Article number 41.378.55
4 006825 504439

COMPRESSED AIR CLAMPS



GB Dimensions 5 x 25 mm | 3000 pieces

1
Article number 41.378.60
4 006825 504446

COMPRESSED AIR CLAMPS



GB Dimensions 5 x 40 mm | 3000 pieces

1
Article number 41.378.61
4 006825 505788

COMPRESSED AIR NAILS



GB Dimensions 25 mm | 3000 pieces

1
Article number 41.378.71
4 006825 504460

COMPRESSED AIR NAILS



GB Dimensions 40 mm | 3000 pieces

1
Article number 41.378.72
4 006825 504866

COMPRESSED AIR NAILS



GB Dimensions 50 mm | 3000 pieces

1
Article number 41.378.73
4 006825 505795

SPECIAL COMPRESSED AIR OIL



GB Contents: 500 ml | For all compressed air tools

1
Article number 41.383.10
4 006825 411270

MINI OILER



GB R 1/4" internal thread | R 1/4" external thread

1
Article number 41.350.02
4 006825 581614

FILTER + PRESSURE REDUCER



1
Article number 41.342.00
4 006825 410051

FILTER + PRESSURE REDUCER



1
Article number 41.341.00
4 006825 410044

COMBINATION CONDITIONING UNIT WITH OILER



GB Adjustable oil quantity

1
Article number 41.350.01
4 006825 410181

COMBINATION CONDITIONING UNIT WITH OILER



GB Adjustable oil quantity



Article number 41.350.00



COMPLETE SPIRAL HOSE



GB Length 4 m / Ø 6 mm | Maximum pressure 8 bar | Nipple and coupling 6.35 mm (1/4")



Article number 41.394.10



COMPLETE SPIRAL HOSE



GB Length 8 m / Ø 6 mm | Maximum pressure 8 bar | Nipple and coupling 6.35 mm (1/4")



Article number 41.394.20



Einhell Germany AG

COMPLETE FABRIC HOSE



GB Length 10 m / Ø 6 mm | Maximum pressure 15 bar | Nipple and coupling



Article number 41.381.00



COMPLETE FABRIC HOSE



GB Length 15 m / Ø 6 mm | Maximum pressure 15 bar | Nipple and coupling



Article number 41.382.00



COMPLETE FABRIC HOSE



GB Length 15 m / Ø 9 mm | Maximum pressure 10 bar | Nipple and quick release coupling



Article number 41.382.10



AUTOMATIC HOSE ROLLER



GB Length 9 m + 1 m | Maximum pressure 12 bar | Swivelling holder



Article number 41.380.00



QUICK-LOCK COUPLING



GB R 1/4" external thread



Article number 41.392.07



QUICK-LOCK COUPLING



GB R 3/8" external thread



Article number 41.392.08



QUICK LOCK COUPLING



GB R 1/2" external thread



Article number 41.392.09



QUICK-LOCK COUPLING



GB R 1/4" internal thread



Article number 41.392.06



QUICK-LOCK COUPLING



GB R 3/8" internal thread



Article number 41.392.05



QUICK LOCK COUPLING



GB R 1/2" internal thread



Article number 41.392.10



QUICK-LOCK COUPLING



GB Ø 6 mm



Article number 41.393.01



QUICK-LOCK COUPLING



GB Ø 9 mm



Article number 41.393.02



HOSE CONNECTOR SET DN7



GB Ø 6 mm | One-hand quick-lock coupling



Article number 41.395.00



ATTACHABLE SLEEVE



GB Ø 6 mm



Article number 41.396.60



ATTACHABLE SLEEVE



GB Ø 9 mm



Article number 41.396.61



HOSE CONNECTION TUBE



GB Ø 6 mm



Article number 41.393.10



HOSE CONNECTION TUBE



GB Ø 9 mm



Article number 41.393.20



HOSE NOZZLE



GB Ø 6 mm | R 1/4" external thread



Article number 41.396.65



HOSE NOZZLE



GB Ø 6 mm | R 3/8" external thread



Article number 41.396.66



THREADED NIPPLE



GB R 1/4" external thread



Article number 41.396.55



THREADED NIPPLE



GB R 3/8" external thread



Article number 41.396.50



THREADED NIPPLE



GB R 1/4" internal thread



Article number 41.396.40



THREADED NIPPLE



GB R 3/8" internal thread



Article number 41.396.45



DOUBLE NIPPLE



GB R 1/4" external thread



Article number 41.396.20



DOUBLE NIPPLE



GB R 3/8" external thread



Article number 41.396.10



REDUCTION



GB R 3/8" external thread | R 1/4" external thread



Article number 41.396.30



REDUCTION



GB R 3/8" external thread | R 1/4" internal thread



Article number 41.396.00



REDUCTION



GB R 1/2" external thread | R 3/8" internal thread



Article number 41.396.05



DISTRIBUTOR



GB R 3/8" internal thread



Article number 41.396.80



4 006825 411713

CLIP KIT



GB For external diameters of 8 - 12 mm | 5 pieces



Article number 41.396.70



4 006825 411706

MICHELIN-NIPPLE



GB DN 6



Article number 41.393.30



4 006825 588712



Einhell Germany AG

INFLATION ADAPTER KIT



GB 8 pieces



Article number 41.396.95



4 006825 511475




Note: For safe handling of the products please refer to the instructions in the operating manual.



ELECTRIC WELDER

BT-EW 150




GB Infinitely adjustable welding current | Thermostat with pilot lamp | Carry handle

11.2 / 12.1 kg
400 x 230 x 290 mm

Article number 15.440.54
4 006825 546460

ELECTRIC WELDER

BT-EW 160




GB Fan cooling | Infinitely adjustable welding current | Thermostat with pilot lamp | Mobile | 2 mains lead

20.6 / 22.7 kg
490 x 280 x 335 mm

Article number 15.460.40
4 006825 546392

ELECTRIC WELDER

BT-EW 200



GB Fan cooling | Infinitely adjustable welding current | Thermostat with pilot lamp | Mobile | Adapter cable 230/400 V

21.6 / 23.2 kg
490 x 280 x 340 mm


Article number 15.490.40
4 006825 541656



Einhell Germany AG

INVERTER WELDER

BT-IW 100




GB Fan cooling | Thermostat with pilot lamp | Infinitely adjustable welding current | Electrode holder | Earth terminal | Carrying strap | TIG equipment available as an optional accessory

4.1 / 5.5 kg
220 x 180 x 270 mm

Article number 15.441.11
4 006825 546477

INVERTER WELDER

BT-IW 150




GB Fan cooling | Thermostat with pilot lamp | Infinitely adjustable welding current | Electrode holder | Earth terminal | Carrying strap | TIG equipment available as an optional accessory

5.8 / 7.1 kg
350 x 205 x 215 mm

Article number 15.441.50
4 006825 578249

FLUX CORED WIRE WELDER

BT-FW 100



GB Carrying strap | Earth terminal | Burner | Infinitely adjustable wire feed | Overheating indicator | Welding shield | Slag hammer | Fan cooling

14.0 / 15.3 kg
515 x 230 x 340 mm

Article number 15.752.20
4 006825 549928



Weight net / gross




Packing dimensions



Packaging unit

SHIELDING GAS WELDER

BT-GW 150




GB Fan cooling | Thermostat with pilot lamp | Complete with flexible hose pack | Infinitely adjustable wire feed | Gas-cooled torch | Welding shield | Pressure reducer | 2 wheels

25.4 / 28.6 kg
695 x 300 x 450 mm

Article number 15.749.70
4 006825 538052

SHIELDING GAS WELDER

BT-GW 170




GB Fan cooling | Thermostat with pilot lamp | Complete with flexible hose pack | Infinitely adjustable wire feed | Gas-cooled torch | Welding shield | Pressure reducer | 4 wheels

34.6 / 37.0 kg
705 x 325 x 460 mm

Article number 15.749.80
4 006825 538069

SHIELDING GAS WELDER

BT-GW 190 D



GB Fan cooling | Thermostat with pilot lamp | Complete with flexible hose pack | Infinitely adjustable wire feed | Gas-cooled torch | Welding shield and adapter cable | Pressure reducer | 4 wheels

38.1 / 41.0 kg
705 x 325 x 470 mm

Article number 15.749.90
4 006825 538076

WELDING TEXTBOOK "PRACTICAL WELDING"



GB For all conventional welding methods | In German language

1
Article number 15.907.00
4 006825 156331

WELDING SHIELD



GB DIN glas

1
Article number 15.842.00
4 006825 152036

HEAD WELDING SAFETY SHIELD



1
Article number 15.842.10
4 006825 152135

AUTOMATIC WELDING SCREEN



GB Protection class 9 - 13 | Shading time: 1/30000 s | Solar area

1
Article number 15.842.50
4 006825 547191

DIN GLASSES



GB 5 x clear glass | 1 x welding glass DIN 9 | Dimension: 110 x 90 mm

1
Article number 15.843.00
4 006825 152043

STEEL WIRE BRUSH



1
Article number 15.934.00
4 006825 156904

LEATHER WELDING GAUNTLETS



1
Article number 15.935.00
4 006825 156959

LEATHER WELDING APRON



1
Article number 15.936.00
4 006825 156980

ALL-METAL SLAG HAMMER



GB For all electric and flux-cored wire welders

1
Article number 15.841.10
4 006825 152210

EARTH TERMINAL FOR ALL WELDING SETS



GB Max. welding current 300 A

1
Article number 15.925.00
4 006825 156805

ELECTRODE HOLDER FOR ALL ELECTRIC WELDERS



GB Max. welding current 250 A



1

Article number 15.927.00



4 006825 156812

ANGLE MAGNET FOR ALL WELDING SETS



GB 45° / 90° / 135°



1

Article number 15.922.00



4 006825 152258

GAS NOZZLE CLEANER FOR ALL SHIELDING GAS WELDERS



GB With 3 flexible cleaning blades



1

Article number 15.924.00



4 006825 156775



Einhell Germany AG

CONICAL GAS NOZZLE FOR ALL SHIELDING GAS WELDERS



GB 2 pieces



1

Article number 15.761.10



4 006825 156669

CONTACT TUBES FOR BT-FW 100



GB Ø 0.9 mm | 5 pieces



1

Article number 15.762.60



4 006825 554779

CONTACT TUBES FOR ALL SHIELDING GAS WELDERS



GB Ø 0.6 mm | 5 pieces



1

Article number 15.762.00



4 006825 156683

CONTACT TUBES FOR ALL SHIELDING GAS WELDERS



GB Ø 0.8 mm | 5 pieces



1

Article number 15.762.10



4 006825 156690

PRESSURE REDUCERS FOR ALL SHIELDING GAS WELDERS



GB 1 pressure gauges | Infinitely adjustable delivery rate



1

Article number 15.765.08



4 006825 156447

PRESSURE REDUCERS FOR ALL SHIELDING GAS WELDERS



GB 2 pressure gauges | Cylinder pressure | Infinitely adjustable delivery rate



1

Article number 15.765.06



4 006825 156546

PISTON SPRAY FOR ALL SHIELDING GAS WELDERS



GB Capacity 500 ml



1

Article number 15.760.51



4 006825 156522

ARGON GAS FOR ALL SHIELDING GAS WELDERS



GB Filling pressure: 60 bar | Disposable



1

Article number 15.765.01



4 006825 156119

ARGON-CO₂ GAS FOR ALL SHIELDING GAS WELDERS



GB Argon 80% CO₂ 20% | Filling pressure: 60 bar | Disposable



1

Article number 15.716.03



4 006825 156454

CO₂ GAS FOR ALL SHIELDING GAS WELDERS



GB Filling pressure: 60 bar | Disposable



1

Article number 15.765.00



4 006825 156102

WIG WELDING TORCH KIT FOR BT-IW 100, BT-IW 150, BT-IW 160



1

Article number 15.441.32



4 006825 580570

WELDING WIRE: STEEL FOR ALL SHIELDING GAS WELDERS



GB Ø 0.6 mm | Weight 0.8 kg



1

Article number 15.767.00



4 006825 156157

**WELDING WIRE: STEEL FOR
ALL SHIELDING GAS WELDERS**



GB Ø 0.6 mm | Weight 5 kg



1

Article number 15.763.11



4 006825 156089

**WELDING WIRE: STEEL FOR
ALL SHIELDING GAS WELDERS**



GB Ø 0.8 mm | Weight 0.8 kg



1

Article number 15.767.02



4 006825 157000

**WELDING WIRE: STEEL FOR
ALL SHIELDING GAS WELDERS**



GB Ø 0.8 mm | Weight 5 kg



1

Article number 15.763.51



4 006825 156324

**WELDING WIRE: STEEL FOR
ALL SHIELDING GAS WELDERS**



GB Ø 0.8 mm | Weight 15 kg



1

Article number 15.763.10



4 006825 156072

**WELDING WIRE: Cr-Ni FOR
ALL SHIELDING GAS WELDERS**



GB Ø 0.6 mm | Weight 0.6 kg



1

Article number 15.767.20



4 006825 156171

**FLUX CORED WELDING WIRE FOR
BT-FW 100**



GB Ø 0.9 mm | Weight 0.4 kg



1

Article number 15.762.50



4 006825 554762

**ROD ELECTRODES FOR
ALL ELECTRIC WELDERS**



GB Ø 2.0 x 300 mm | 25 pieces



1

Article number 15.913.20



4 006825 152272

**ROD ELECTRODES FOR
ALL ELECTRIC WELDERS**



GB Ø 2.0 x 300 mm | 100 pieces



1

Article number 15.917.35



4 006825 506105

**ROD ELECTRODES FOR
ALL ELECTRIC WELDERS**



GB Ø 2.5 x 350 mm | 25 pieces



1

Article number 15.914.20



4 006825 152289

**ROD ELECTRODES FOR
ALL ELECTRIC WELDERS**



GB Ø 2.5 x 350 mm | 100 pieces



1

Article number 15.917.36



4 006825 506112

**ROD ELECTRODES FOR
ALL ELECTRIC WELDERS**



GB Ø 2.5 x 350 mm | 175 pieces



1

Article number 15.917.39



4 006825 506341

**ROD ELECTRODES FOR
ALL ELECTRIC WELDERS**



GB Ø 3.2 x 350 mm | 25 pieces



1

Article number 15.915.20



4 006825 152296

**ROD ELECTRODES FOR
ALL ELECTRIC WELDERS**



GB Ø 3.2 x 350 mm | 115 pieces



1

Article number 15.917.40




4 006825 506358





BENCH DRILL

BT-BD 401



GB Infinite table height adjustment | Scroll chuck | Adjustable depth stop for precise drilling | Tilting and pivoting drill table | Drilling spindle with ball bearings


9.9 / 15.8 kg 1
458 x 355 x 228 mm

Article number 42.504.45



BENCH DRILL

BT-BD 501



GB Infinite table height adjustment | Scroll chuck | Swiveling scale ring for precise setting of the drill depth | Tilting and pivoting drill table | Drilling spindle with ball bearings


18.0 / 19.4 kg 1
510 x 260 x 385 mm

Article number 42.505.55



BENCH DRILL

BT-BD 701



GB Infinite table height adjustment | Scroll chuck | MK2 chuck | Swiveling scale ring for precise setting of the drill depth | Tilting and pivoting drill table | Vise supplied | Drilling spindle with ball bearings


27.0 / 31.0 kg 1
652 x 420 x 260 mm

Article number 42.505.90



BENCH DRILL

BT-BD 801 E



GB Infinitely adjustable speed control | Quick-change drill chuck | MK2 chuck | Cross line laser | Incl. digital display for spindle speed | Adjustable depth stop for precise drilling | Tilting and pivoting drill table | Pull-out roll base


37.3 / 40.2 kg 1
734 x 500 x 275 mm

Article number 42.507.10



BENCH DRILL

BT-BD 1020




GB Infinite table height adjustment | Quick-change drill chuck | MK2 chuck | Swiveling scale ring for precise setting of the drill depth | Tilting and pivoting drill table | Vise supplied | Drilling spindle with ball bearings

52.5 / 54.5 kg 1
800 x 490 x 295 mm

Article number 42.507.85
4 006825 505009

BENCH DRILL

BT-BD 1020 D




GB Infinite table height adjustment | Quick-change drill chuck | MK2 chuck | Tilting and pivoting drill table | Vise supplied | Drilling spindle with ball bearings | Reverse facility

52.5 / 54.5 kg 1
800 x 490 x 295 mm

Article number 42.507.90
4 006825 505016

BENCH DRILL

BT-BD 1625 D




GB Infinite table height adjustment | Quick-change drill chuck | MK3 chuck | Tilting and pivoting drill table | Vise supplied | Drilling spindle with ball bearings | Reverse facility

60.0 / 62.0 kg 1
1145 x 465 x 295 mm

Article number 42.512.10
4 006825 504996

WET-DRY GRINDER

BT-WD 150/200



GB Adjustable tool support | Sturdy worm gearing for the wet grinding disc | Slow-speed, fine-grained wet grinding disc | Corrosion-resistant water bath container | RCD plug for protection of life and health

9.7 / 10.3 kg 1
420 x 260 x 230 mm

Article number 44.172.15
4 006825 537703

BENCH GRINDER

BT-BG 150



GB Adjustable work supports | Safety hoods closed off at the sides | Sturdy, compact design in metal | Incl. 1 fine and 1 coarse grinding / sanding wheel | Ball bearing mounted shaft with zero play | 4 rubber feet to ensure that the machine stands securely

5.7 / 6.0 kg 1
307 x 180 x 212 mm

Article number 44.125.50
4 006825 541182

BENCH GRINDER

BT-BG 175



GB Adjustable work supports | Safety hoods closed off at the sides | Sturdy, compact design in metal | Incl. 1 fine and 1 coarse grinding / sanding wheel | Ball bearing mounted shaft with zero play | 4 rubber feet to ensure that the machine stands securely

10.1 / 10.8 kg 1
360 x 260 x 260 mm

Article number 44.126.04
4 006825 540260

BENCH GRINDER

BT-BG 200



GB Adjustable work supports | Safety hoods closed off at the sides | Sturdy, compact design in metal | Incl. 1 fine and 1 coarse grinding / sanding wheel | Ball bearing mounted shaft with zero play | 4 rubber feet to ensure that the machine stands securely

11.3 / 12.2 kg 1
350 x 250 x 260 mm

Article number 44.128.06
4 006825 540277

BELT AND DISK SANDER

BT-US 240



GB Adjustable spark guard with large safety goggles | Adjustable work supports | Safety hoods closed off at the sides | Sturdy, compact design in metal | Coarse grinding disc | 4 rubber feet to ensure that the machine stands securely

7.1 / 8.1 kg 1
400 x 340 x 200 mm


Article number 44.661.31
4 006825 541564



METAL LATHE

BT-ML 300

DE: price/performance "Very Good"



Intertek GS



230 V ~ 50 Hz



370 W



0 - 1100 min⁻¹



l_{max} 300 mm



max. Ø 70 mm



max. Ø 70 mm



Ø 25 - 70 mm

GB Counter-clockwise/clockwise selector switch | Internally and externally stepped clamp jaws | Centering pin | Different feed speeds | Automatic feed | Infinitely adjustable speed control



37.0 / 43.0 kg



1



790 x 360 x 380 mm

Article number 45.050.04



LATHE CHISEL KIT FOR BT-ML 300



GB 11 pieces | HSS chisels



1

Article number 45.050.20



LIVE LATHE CENTER FOR BT-ML 300



GB Taper MK 2



1

Article number 45.050.24



FOUR JAW CHUCK FOR BT-ML 300



GB Ø 80 mm



1

Article number 45.050.23



FIXED STEADY FOR BT-ML 300



GB Max. Ø 30 mm



1

Article number 45.050.21



GRINDING BELT KIT FOR BT-US 240



GB 5 pieces | Width / Length 50 x 686 mm | Grit size 2 x 60 / 80 / 1 x 100 K



1

Article number 44.198.09





ELECTRIC HOIST

BT-EH 250



230 V ~ 50 Hz	500 W S3 20% 10 min	max. 5.7 m max. 250 kg	max. 11.5 m max. 125 kg

GB Fastening with two bar clips | Operator switch with emergency stop function | Guide roller with load hook | Motor with thermal switch | Automatic load securing brake | Load hook with safety catch | Automatic limit cut-out for rolling out

	9.8 / 10.4 kg		2
	355 x 240 x 140 mm		

Article number 22.551.17



ELECTRIC HOIST

BT-EH 300



230 V ~ 50 Hz	550 W S3 20% 10 min	max. 5.7 m max. 300 kg	max. 11.5 m max. 150 kg

GB Fastening with two bar clips | Operator switch with emergency stop function | Guide roller with load hook | Motor with thermal switch | Automatic load securing brake | Load hook with safety catch | Automatic limit cut-out for rolling out

	9.6 / 11.3 kg		2
	355 x 230 x 145 mm		

Article number 22.553.13



ELECTRIC HOIST

BT-EH 500



230 V ~ 50 Hz	1000 W S3 20%	max. 5.7 m max. 500 kg	max. 11.5 m max. 250 kg

GB Fastening with two bar clips | Operator switch with emergency stop function | Guide roller with load hook | Motor with thermal switch | Automatic load securing brake | Load hook with safety catch | Automatic limit cut-out for rolling out

	15.1 / 16.5 kg		2
	401 x 155 x 247 mm		

Article number 22.555.30



ELECTRIC HOIST

BT-EH 600



230 V ~ 50 Hz	1050 W S3 20% 10 min	max. 5.7 m max. 600 kg	max. 11.5 m max. 300 kg

GB Fastening with two bar clips | Operator switch with emergency stop function | Guide roller with load hook | Motor with thermal switch | Automatic load securing brake | Load hook with safety catch | Automatic limit cut-out for rolling out

	17.5 / 18.3 kg		2
	400 x 150 x 255 mm		

Article number 22.557.11



ELECTRIC HOIST

BT-EH 1000



230 V ~ 50 Hz	1600 W S3 25% 10 min	max. 5.7 m max. 999 kg	max. 11.5 m max. 500 kg

GB Fastening with two bar clips | Operator switch with emergency stop function | Guide roller with load hook | Motor with thermal switch | Automatic load securing brake | Load hook with safety catch | Automatic limit cut-out for rolling out

	29.8 / 33.3 kg		1
	570 x 255 x 340 mm		

Article number	22.557.15
4 006825 539776	

CHAIN HOIST

BT-CH 1000



1000 kg	2.5 m

GB Closed metal housing | Load hook with safety catch | Long operator chain | Low design

	8.5 / 9.4 kg		1
	250 x 180 x 160 mm		

Article number	22.501.02
4 006825 539738	

SWING ARM GT-SA 1200 FOR HOISTS



GB Length 1100 mm | With reach of 750 mm max. load 600 kg | With reach of 1100 mm max. load 300 kg

	4
Article number	22.553.98
4 006825 540017	



Einhell Germany AG

TOOL AND GEAR WAGGON

BT-TW 150



max. 150 kg	4 x 45 mm 2 x 100 mm 1 x 200 mm	685 mm (Width)	875 mm (Height)
	460 mm (Depth)		

GB Strong sheet steel frame | Non-slip work surface | 7 ball-bearing drawers (fully extendable thanks to telescopic rails) | 4 large easy-running wheels (of which 2 are steerable with locking brake) | Lockable

	54.0 / 57.5 kg		1
	730 x 800 x 505 mm		

Article number	45.101.50
4 006825 564136	

PALLET TRUCK

BT-PT 2500



max. 2500 kg	85 mm / 200 mm	Ø 180 mm	Ø 80 mm
	1150 mm		550 mm

GB Selector lever for lift / neutral / lower | Safety handle with loop grip | Automatic return of the drawbar | Ball-bearing and PU-coated steering wheels and double load-bearing rollers

	70.0 / 75.0 kg		1
	2100 x 560 x 740 mm		

Article number	20.225.25
4 006825 563221	

HAND TRUCK

BT-HT 100



	Folded 700 x 480 x 65 mm	
	Unfolded 985 x 480 x 420 mm	max. 100 kg

GB Steel frame | Fully retractable rubber wheels | Folding aluminium base plate | Pull-out handle | Rubber-coated handle | Lock for extending handle

	3.7 / 4.4 kg		4
	700 x 480 x 65 mm		

Article number	22.601.13
4 006825 564082	






Einhell Germany AG

LOG CUTTING SAW

BT-LC 400/2



GB Carbide metal saw blade | Carriage extension | Carriage with hooks | Length stop

33.1 / 39.1 kg 1
1100 x 745 x 520 mm



Article number 43.071.62
4 006825 541434

LOG CUTTING SAW

BT-LC 700/1 D



DE: price/performance "Good - Very Good"



GB Chrome vanadium sawblade | Ergonomically shaped carriage with hook | Including chassis | Carriage reset by springs | Electronic brake switch | Phase converter in plug

87.0 / 152.9 kg 1
1060 x 760 x 1150 mm

Article number 43.071.72
4 006825 541472

LOG SPLITTER


BT-LS 44



DE: price/performance "Good"



DE: rating "Good"





GB Two-hand control | Transport handle | Stable foot | High quality electric motor | Overload release | Sturdy wheels

36.0 / 38.7 kg 1
810 x 290 x 468 mm

Article number 34.320.13
4 006825 540062

LOG SPLITTER

BT-LS 65 U




GB Two-hand control | Transport handle | Base frame | High quality electric motor | Overload release | Sturdy wheels

48.0 / 52.0 kg 1
1090 x 330 x 565 mm

Article number 34.321.60
4 006825 554526

LOG SPLITTER

BT-LS 610 B



GB Adjustable log holding plates | Height-adjustable workbench | Two-handed safety switch | Emergency stop switch | Adjustable splitting wedge height | Transport handle and wheels

83.0 / 97.6 kg 1
535 x 535 x 1160 mm

Article number 34.320.45
4 006825 576856

LOG SPLITTER

BT-LS 810 DB



GB Adjustable log holding plates | Height-adjustable workbench | Two-handed safety switch | Emergency stop switch | Adjustable splitting wedge height | Transport handle and wheels

101.0 / 112.8 kg 1
560 x 560 x 1140 mm

Article number 34.320.65
4 006825 576863

Weight net / gross

Packing dimensions

Packaging unit



GENERATOR

BT-PG 850/2



230 V ~ 50 Hz 650 W (max. 720 W)	1.2 kW (1.65 HP) 63 cm ³	4.2 l	Mixture 1 : 40 (2.5 %)

GB Powerful 2-stroke engine, air-cooled | Synchronous generator | Carry handle for easy transport | Overload switch for appliance safety | Automatic voltage controller (AVR) | Reversing starter to start the machine

16.0 / 17.6 kg 1
390 x 350 x 335 mm

Article number 41.512.45

GENERATOR

BT-PG 2000/2



2 x 230 V ~ 50 Hz 2000 W (max. 2200 W)	4.0 kW (5.4 HP) 196 cm ³	13 l	Petrol

GB 4-stroke engine | Synchronous generator | Voltmeter | Tank indicator | Large 13 liter tank for continuous operation | Overload switch | Low oil guard | Crank shaft mounted at two ends | Automatic voltage controller (AVR)

36.9 / 40.0 kg 1
620 x 470 x 480 mm

Article number 41.524.20

GENERATOR

BT-PG 2800/1



2 x 230 V ~ 50 Hz 2300 W (max. 2800 W)	4.1 kW (5.6 HP) 208 cm ³	15 l	Petrol

GB 4-stroke engine | Synchronous generator | Practical voltmeter | Tank indicator | Large 15 liter tank for continuous operation | Overload switch | Low oil guard | Crank shaft mounted at two ends | Automatic voltage controller (AVR)

41.5 / 44.5 kg 1
625 x 465 x 475 mm

Article number 41.524.80

GENERATOR

BT-PG 3100/1



2 x 230 V ~ 50 Hz 2600 W (max. 3100 W)	4.1 kW (5.6 HP) 208 cm ³	15 l	Petrol

GB 4-stroke engine | Synchronous generator | Practical voltmeter | Tank indicator | Large 15 liter tank for continuous operation | Overload switch | Low oil guard | Crank shaft mounted at two ends | Automatic voltage controller (AVR)

42.4 / 45.5 kg 1
625 x 465 x 475 mm

Article number 41.524.60

GENERATOR

BT-PG 4000



2 x 230 V ~ 50 Hz 3300 W (max. 3800 W)	4.89 kW / (6.7 HP)	24 l	Petrol

GB 4-stroke engine | Practical voltmeter | Tank indicator | Large 24 liter tank for continuous operation | Overload switch | Low oil guard | Crank shaft mounted at two ends | Automatic voltage controller (AVR)

	64.0 / 68.0 kg		1
	710 x 545 x 605 mm		

Article number 41.524.40

GENERATOR

BT-PG 5500/2 D



400 V 3 ~ 50 Hz 3600 W (max. 5500 W)	2 x 230 V ~ 50 Hz 3000 W (max. 3300 W)	7.0 kW (9.5 HP)	25 l
Unleaded petrol			

GB 4-stroke engine | Synchronous generator | Overload switch | Low oil guard | Crank shaft mounted at two ends | Automatic voltage controller (AVR)

	76.0 kg 80.1 kg		1
	710 x 560 x 590 mm		

Article number 41.525.00

GENERATOR

BT-PG 5000 DD



400 V 3 ~ 50 Hz 4200 W (max. 5000 W)	3000 W (max. 3300 W)	1 x 12 V d.c. (max. 100 W)	6.3 kW (8.6 HP)
16 l Diesel			

GB 4-stroke digital inverter, air-cooled | Inverter technology for voltage-sensitive equipment (computers, measuring devices) | Voltage stability without fluctuations | Low oil guard | Overload switch | Automatic voltage controller (AVR)

	144.0 / 157.9 kg		1
	950 x 580 x 840 mm		

Article number 41.523.95



Einhell Germany AG

PETROL AND OIL SUCTION PUMP




GB Suction hose length 1.3 m | Volume 1.6 l max.

Article number 34.070.00



Note: For safe handling of the products please refer to the instructions in the operating manual.

GB



Einhell Germany AG

We're always here to help - and that's a promise!
Is there anything you'd like to ask us about our products?
Would you like to order a part?
Your product isn't working as it should?

We're at your service!
We'll get you some help - fast and without any fuss.



iSC GmbH, Eschenstr. 6,
94405 Landau/Isar, Deutschland



+49 (0) 9951 959 2000



(Landline charge 14 cent/min.)
(Cell phone charge 42 cent/min.)
+49 (0) 1805 835 830



www isc-gmbh.info



info@isc-gmbh.info

Einhell Germany AG
Wiesenweg 22
94405 Landau/Isar
Germany

© 2014 Einhell Germany AG
Subject to technical modifica-
tions and errors

www.einhell.com
info@einhell.com

Art. no. 110164
As of: December 2013



Einhell
WELL DONE.